

10.6 µm





COMPACT TABLE-TOP SYSTEM

C.LAS

ENT + GYN APPLICATIONS





C-LAS ARTICULATED ARM

MODULAR

SUPERPULSE

POWERFUL

C-LAS ARTICULATED ARM

- Superpulse
- Touch-Screen
- Microscope Adaption
- Smoke Evacuation
- Medical Cart

Ablation Coagulation Vaporization






... devoted to lasers in ENT . since 1996



APPLICATIONS ENT

- Airway surgery (e.g. stenosis)
- Cordectomy
- Glottoplasty
- Microflap Surgery
- Partial Arytenoidectomy
- Pharyngeal Pouch
- Thyo-arytenoid myoneurectomy
- Vocal Fold Surgery
- Zenker's Diverticulum
- Middle Ear Surgery
- Stapes
- LAUP
- Oral Cancer Excision
- Tonsillectomy





C-PRO MICROMANIPULATOR



PROVEN QUALITY

SPECIAL COATING

FLEXIBLE



The micromanipulator with achromatic optics in combination with internal mirrors. The color corrected coating of the beam splitter gives an ultra vision at a high durability. This technology is the best in the world.

The beam delivery system with a partial high reflector achieves spot sizes as small as 100 μ m. These unique features result in precise cutting with high aiming beam visibility.


- With our micromanipulator you can scan the whole surgical field. Precision and maneuverability are the keys to its efficiency
- The friction of the joystick is continuously variable
- Hand rest for your comfort during longer surgery times

This design has set a new standard of excellence for CO2 laser spot size and precision in the medical field.

Vision and technology by A.R.C. Laser



... devoted to losers in ENT . since 1996



ADVANTAGES ENT

- Color corrected coating for an ultra visual view
- Brighter aiming beam
- Achromatic optics for a single focal plane of aiming and treatment beam





FLEXIBILITY IN SURGERY.



HS11023 Hand piece for dermatology length: 3" spot size: 130 μm





HS11024 ZU02002 ZU02003

Hand piece length: 6" Focus tip 6" Backstop tip spot size: 270 µm



C-LAS

MEDICAL CART





DETAILS



Storage Drawer



Durable pads provide stable support during transport.

DETAILS

ZU01049 ViroVac smoke evacuation

The system can be used by its own foot switch as a standalone system or remote controlled by lasers from A.R.C. Laser.





ZU01050 Spare filter



ZU01048 Flexible tubing 3.1m



KB01329 Remote plug



ZU01058s Sterile tube, 60 cm

... enlighten your surgery





A.R.C. Laser reserves the right to alter the technical specifications described and illustrated in this brochure at any time and without notice. Please consult your A.R.C. Laser retailer for the latest details concerning technical specifications.

Publisher and Copyright:

A.R.C. Laser GmbH Bessemerstraße 14 D-90411 Nuremberg Germany T + 49 (0) 911 217 79-0 F +49 (0) 911 217 79 99 info@arclaser.de www.arclaser.de

f arclaser

arclasergmbha-r-c-laser-gmbh

arclaser



Specifications are subject to change without notice. C-LAS 21.10.22 Rev.6

C 0123 A.R.C. Laser certifies that the product complies to 21 CFR 1040.10 and 1040.11 EN 13485/2016 - 93/42 EWG Changes in design and/or specifications to enhance performance, will be incorporated without any further notice.